

**CHAPTER 403 SHORELAND ZONING ORDINANCE
TOWN OF GRAY MAINE**

Adopted Dec. 3, 1991

Effective Jan. 3, 1992

Amended Apr. 17, 1992

Amended Jan. 20, 1994

Amended July 4, 1996

Amended Oct. 31, 1996

Amended August 7, 1998

Amended Sept 17, 1998

Amended Nov 10, 1998

Amended August 31, 2000

Amended September 5, 2000

Amended July 7, 2009

Amended January 19, 2010

Amended February 15, 2016 / Effective April 14, 2016

CONTENTS

| | |
|----------------------------------------------------------|---|
| Section 1 – Purposes | 4 |
| Section 2 – Authority | 4 |
| Section 3 – Applicability | 4 |
| Section 4 – Effective Date | 4 |
| Section 5 – Availability | 5 |
| Section 6 – Severability | 5 |
| Section 7 – Conflicts with Other Ordinances | 5 |
| Section 8 – Amendments | 5 |
| Section 9 – Districts and Zoning Map | 5 |
| A. OFFICIAL SHORELAND ZONING MAP | 5 |
| B. SCALE OF MAP | 5 |
| C. CERTIFICATION OF OFFICIAL SHORELAND ZONING MAP | 5 |
| D. CHANGES TO THE OFFICIAL SHORELAND ZONING MAP | 5 |
| Section 10 – Interpretation of District Boundaries | 6 |
| Section 11 – Land Use Requirements | 6 |
| Section 12 – Non-Conformance..... | 6 |
| A. PURPOSE..... | 6 |
| B. GENERAL..... | 6 |
| C. NON-CONFORMING STRUCTURES..... | 6 |
| D. NON-CONFORMING USES | 8 |
| E. NON-CONFORMING LOTS..... | 9 |

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Section 13 – Establishment of Districts | 9 |
| A. RESOURCE PROTECTION DISTRICT | 9 |
| B. LIMITED RESIDENTIAL DISTRICT | 10 |
| C. STREAM PROTECTION DISTRICT | 10 |
| D. LIMITED COMMERCIAL DISTRICT | 10 |
| Section 14 – Table of Land Uses | 11 |
| Section 15 – Land Use Standards | 15 |
| A. SPACE STANDARD | 15 |
| B. PRINCIPAL AND ACCESSORY STRUCTURES | 15 |
| C. PIERS, DOCKS, WHARVES, BRIDGES AND OTHER STRUCTURES AND USES EXTENDING OVER OR BEYOND THE NORMAL HIGH WATER LINE OF A WATER BODY OR WITHIN A | 17 |
| D. CAMPGROUNDS | 18 |
| E. INDIVIDUAL PRIVATE CAMPSITES | 18 |
| F. PARKING AREAS | 18 |
| G. ROADS AND DRIVEWAYS | 19 |
| H. SIGNS | 20 |
| I. STORM WATER RUNOFF | 21 |
| J. SEPTIC WASTE DISPOSAL | 21 |
| K. ESSENTIAL SERVICES | 21 |
| L. MINERAL EXPLORATION AND EXTRACTION | 21 |
| M. AGRICULTURE | 22 |
| N. TIMBER HARVESTING | 23 |
| O. CLEARING OF VEGETATION FOR DEVELOPMENT | 25 |
| P. EROSION AND SEDIMENTATION CONTROL | 27 |
| Q. SOILS | 28 |
| R. WATER QUALITY | 28 |
| S. ARCHAEOLOGICAL SITES | 28 |
| T. MARINE REFUELING FACILITIES | 28 |
| U. TEMPORARY STRUCTURES | 29 |
| V. COMMERCIAL & INDUSTRIAL USES PROHIBITED | 29 |
| Section 16 – Administration | 30 |
| A. ADMINISTERING BODIES AND AGENTS | 30 |

| | | |
|-------------------------------|-------------------------------------------------------------------------------------------|----|
| B. | PERMITS REQUIRED..... | 30 |
| C. | PERMIT APPLICATION..... | 30 |
| D. | PROCEDURE FOR ADMINISTERING PERMITS..... | 31 |
| E. | SPECIAL EXCEPTIONS FOR SINGLE FAMILY CONSTRUCTION IN THE RESOURCE PROTECTION DISTRICT.... | 32 |
| F. | EXPIRATION OF PERMIT | 32 |
| G. | INSTALLATION OF PUBLIC UTILITY SERVICE..... | 32 |
| H. | APPEALS..... | 33 |
| I. | ENFORCEMENT..... | 37 |
| Section 17 – Definitions..... | | 38 |

SECTION 1 – PURPOSES

The purposes of this Ordinance are to further the maintenance of safe and healthful conditions; to prevent and control water pollution; to protect fish spawning grounds, aquatic life, bird and other wildlife habitat; to protect buildings and lands from flooding and accelerated erosion; to protect archaeological and historic resources; to protect freshwater wetlands; to control building sites, placement of structures and land uses; to conserve shore cover, and visual as well as actual points of access to inland waters; to conserve natural beauty and open space; and to anticipate and respond to the impacts of development in shoreland areas.

SECTION 2 – AUTHORITY

This Ordinance has been prepared in accordance with the provisions of Title 38 Sections 435-449 of the Maine Revised Statutes Annotated (M.R.S.A.).

SECTION 3 – APPLICABILITY

This Ordinance applies to all land areas within 250 feet, horizontal distance, of the normal high-water line of any great pond or river; within 250 feet, horizontal distance, of the upland edge of a freshwater wetland; and within 75 feet, horizontal distance, of the normal high-water line of a stream; and to all land areas within non-forested freshwater wetlands, as defined herein.

This Ordinance also applies to any structure built on, over or abutting a dock, wharf or pier, or other structure extending or located below the normal high-water line of a water body or within a wetland.

SECTION 4 – EFFECTIVE DATE

- A. This Ordinance, which was passed by the Town Council on July 7, 2009 shall not be effective unless approved by the Commissioner of the Department of Environmental Protection. A certified copy of the Ordinance, attested and signed by the Town Clerk, shall be forwarded to the Commissioner for approval. If the Commissioner fails to act on this Ordinance within forty-five (45) days of his receipt of the Ordinance, it shall be deemed approved. Upon approval, the shoreland zoning ordinance previously adopted, and as amended from time to time, is repealed retroactively to the date otherwise applicable under the Town Charter; provided, notwithstanding any provisions of Maine law to the contrary, including but not limited to 1 M.R.S.A. Section 302, any application for a shoreland zoning permit submitted to the Town or any of its officers, boards or employees after August 7, 2009 shall be governed the terms hereof if the ordinance secures such approval by the Commissioner.
- B. Repeal of Timber Harvesting Regulation. The regulation of timber harvesting activities in this ordinance is repealed on the statutory date established under 38 M.R.S.A. section 438-A(5), at which time the State of Maine Department of Conservation's Bureau of Forestry shall administer timber harvesting standards in the shoreland zone. On the date established under 38 M.R.S.A section 438-A(5), the following provisions of this Ordinance are repealed:
- C. Section 14 Table of Land Uses, Row 3 (Forest management activities except for timber harvesting) and Row 4 (Timber harvesting);
- D. Section 15 N in its entirety; and
- E. Section 17 Definitions, the definitions of "forest management activities" and "residual basal area".

SECTION 5 – AVAILABILITY

A certified copy of this Ordinance shall be filed with the Town Clerk and shall be accessible to any member of the public. Copies shall be made available to the public at reasonable cost at the expense of the person making the request. Notice of availability of this Ordinance shall be posted.

SECTION 6 – SEVERABILITY

Should any section or provision of this ordinance be declared by the courts to be invalid, such decision shall not invalidate any other section or provision of the Ordinance.

SECTION 7 – CONFLICTS WITH OTHER ORDINANCES

Whenever a provision of this Ordinance conflicts with or is inconsistent with another provision of this Ordinance or of any other ordinance, regulation or statute, the more restrictive provision shall control.

SECTION 8 – AMENDMENTS

This Ordinance may be amended by majority vote of the Town Council. Copies of amendments, attested and signed by the Town Clerk, shall be submitted to the Department of Environmental Protection following adoption by the Town Council and shall not be effective unless approved by the Department of Environmental Protection. If the Department of Environmental Protection fails to act on any amendment within forty-five (45) days of the Department's receipt of the amendment, the amendment is automatically approved. Any application for a permit submitted to the town within the forty-five (45) day period shall be governed by the terms of the amendment, if such amendment is approved by the Department of Environmental Protection.

SECTION 9 – DISTRICTS AND ZONING MAP

A. OFFICIAL SHORELAND ZONING MAP

The areas to which this Ordinance is applicable are hereby divided into the following districts as shown on the Official Shoreland Zoning Map which is made a part of this Ordinance:

1. Resource Protection
2. Limited Residential
3. Stream Protection
4. Limited Commercial

B. SCALE OF MAP

The Official Shoreland Zoning Map shall be drawn at a scale of not less than: 1 inch = 2000 feet. District boundaries shall be clearly delineated and a legend indicating the symbols for each district shall be placed on the map.

C. CERTIFICATION OF OFFICIAL SHORELAND ZONING MAP

The Official Shoreland Zoning Map shall be certified by the attested signature of the Town Clerk and shall be located in the town office.

D. CHANGES TO THE OFFICIAL SHORELAND ZONING MAP

If amendments, in accordance with Section 8, are made in the district boundaries or other matter portrayed on the Official Shoreland Zoning Map, such changes shall be made on the official Shoreland Zoning Map within thirty (30) days after the amendment has been approved by the Department of Environmental Protection.

SECTION 10 – INTERPRETATION OF DISTRICT BOUNDARIES

Unless otherwise set forth on the Official Shoreland Zoning Map, district boundary lines are property lines, the centerlines of streets, roads and rights of way, and the boundaries of the shoreland area as defined herein. Where uncertainty exists as to the exact location of district boundary lines, the Board of Appeals shall be the final authority as to location.

SECTION 11 – LAND USE REQUIREMENTS

Except as hereinafter specified, no building, structure or land shall hereafter be used or occupied, and no building or structure or part thereof shall hereafter be erected, constructed, expanded, moved, or altered and no new lot shall be created except in conformity with all of the regulations herein specified for the district in which it is located, unless a variance is granted.

SECTION 12 – NON-CONFORMANCE

A. PURPOSE

It is the intent of this Ordinance to promote land use conformities, except that non-conforming conditions that existed before the effective date of this Ordinance shall be allowed to continue, subject to the requirements set forth in this section. Except as otherwise provided in this Ordinance, a non-conforming condition shall not be permitted to become more non-conforming.

B. GENERAL

1. **Transfer of Ownership:** Non-conforming structures, lots, and uses may be transferred, and the new owner may continue the non-conforming use or continue to use the non-conforming structure or lot, subject to the provisions of this Ordinance.
2. **Repair and Maintenance:** This Ordinance allows, without a permit, the normal upkeep and maintenance of non-conforming uses and structures including repairs or renovations which do not involve expansion of the non-conforming use or structure, and such other changes in a non-conforming use or structure as federal, state, or local building and safety codes may require.

NOTE: See Section 17 for the definitions of non-conforming structures, non-conforming uses and non-conforming lots.

C. NON-CONFORMING STRUCTURES

1. **Expansions:** A non-conforming structure may be added to or expanded after obtaining a permit from the same permitting authority as that for a new structure, if such addition or expansion does not increase the non-conformity of the structure.

Further Limitations:

- a. After January 1, 1989 if any portion of a structure is less than the required setback from the normal high water line of a water body or tributary stream or the upland edge of a wetland, that portion of the structure shall not be expanded in floor area or volume, by 30% or more, during the lifetime of the structure. If a replacement structure conforms with the requirements of Section 12(C)(3), and is less than the required setback from a water body, tributary stream or wetland, the replacement structure may not be expanded if the original structure existing on January 1, 1989 had been expanded by 30% in floor area and volume since that date.

- b. Whenever a new, enlarged, or replacement foundation is constructed under a non-conforming structure, the structure and new foundation must be placed such that the setback requirement is met to the greatest practical extent as determined by the Planning Board or its designee, basing its decision on the criteria specified in Section 12(C)(2) Relocation, below. If the completed foundation does not extend beyond the exterior dimensions of the structure, except for expansion in conformity with Section 12(C)(1)(a) above, and the foundation does not cause the structure to be elevated by more than three (3) additional feet, as measured from the uphill side of the structure (from original ground level to the bottom of the first floor sill), it shall not be considered to be an expansion of the structure.
 - c. No structure which is less than the required setback from the normal high-water line of a water body, tributary stream, or upland edge of a wetland shall be expanded toward the water body, tributary stream, or wetland.
2. Relocation: A non-conforming structure may be relocated within the boundaries of the parcel on which the structure is located provided that the site of relocation conforms to all setback requirements to the greatest practical extent as determined by the Code Enforcement Officer, and provided that the applicant demonstrates that the present subsurface sewage disposal system meets the requirements of State law and the State of Maine Subsurface Wastewater Disposal Rules (Rules), or that a new system can be installed in compliance with the law and said Rules. In no case shall a structure be relocated in a manner that causes the structure to be more non-conforming.

In determining whether the building relocation meets the setback to the greatest practical extent, the Code Enforcement Officer shall consider the size of the lot, the slope of the land, the potential for soil erosion, the location of other structures on the property and on adjacent properties, the location of the septic system and other onsite soils suitable for septic systems, and the type and amount of vegetation to be removed to accomplish the relocation. When it is necessary to remove vegetation within the water or wetland setback area in order to relocate a structure, the Planning Board shall require replanting of native vegetation to compensate for the destroyed vegetation. In addition, the area from which the relocated structure was removed must be replanted with vegetation. Replanting shall be required as follows:

- a. Trees removed in order to relocate a structure must be replanted with at least one native tree, three (3) feet in height, for every tree removed. If more than five trees are planted, no one species of tree shall make up more than 50% of the number of trees planted. Replaced trees must be planted no further from the water or wetland than the trees that were removed.

Other woody and herbaceous vegetation, and ground cover, that are removed or destroyed in order to relocate a structure must be re-established. An area at least the same size as the area where vegetation and/or ground cover was disturbed, damaged, or removed must be reestablished within the setback area. The vegetation and/or ground cover must consist of similar native vegetation and/or ground cover that was disturbed, destroyed or removed.

- b. Where feasible, when a structure is relocated on a parcel the original location of the structure shall be replanted with vegetation which may consist of grasses, shrubs, trees, or a combination thereof.

3. **Reconstruction or Replacement:** Any non-conforming structure which is located less than the required setback from the normal high-water line of a water body, tributary stream, or upland edge of a wetland and which is removed, or damaged or destroyed by more than 50% of the market value of the structure before such damage, destruction or removal, may be reconstructed or replaced provided that a permit is obtained within eighteen (18) months of the date of said damage, destruction, or removal, and provided that such reconstruction or replacement is in compliance with the water body, tributary stream or wetland setback requirement to the greatest practical extent as determined by the Code Enforcement Officer in accordance with the purposes of this Ordinance. In no case shall a structure be reconstructed or replaced so as to increase its non-conformity.

If the reconstructed or replacement structure is less than the required setback it shall not be any larger than the original structure, except as allowed pursuant to Section 12(C)(1) above, as determined by the non-conforming floor area and volume of the reconstructed or replaced structure at its new location. If the total amount of floor area and volume of the original structure can be relocated or reconstructed beyond the required setback area, no portion of the relocated or reconstructed structure shall be replaced or constructed at less than the setback requirement for a new structure. When it is necessary to remove vegetation in order to replace or reconstruct a structure, vegetation shall be replanted in accordance with Section 12(C)(2) above.

Any non-conforming structure which is located less than the required setback from a water body, tributary stream, or wetland and which is removed by 50% or less of the market value, or damaged or destroyed by 50% or less of the market value of the structure, excluding normal maintenance and repair, may be reconstructed in place with a permit, from the Code Enforcement Officer within one year of such damage, destruction, or removal.

In determining whether the building reconstruction or replacement meets the water setback to the greatest practical extent the Code Enforcement Officer shall consider in addition to the criteria in paragraph 2 above, the physical condition and type of foundation present, if any.

4. **Change of Use of a Non-conforming Structure**
The use of a non-conforming structure may not be changed to another use unless the Planning Board after receiving a written application determines that the new use will have no greater adverse impact on the water body, tributary stream or wetland or on the subject or adjacent properties and resources than the existing use.

In determining that no greater adverse impact will occur, the Planning Board shall require written documentation from the applicant, regarding the probable effects on public health and safety, erosion and sedimentation, water quality, fish and wildlife habitat, vegetative cover, visual and actual points of public access to waters, natural beauty, flood plain management, archaeological and historic resources, and commercial fishing and maritime activities, and other functionally water-dependent uses.

D. NON-CONFORMING USES

1. **Expansions:** Expansions of non-conforming uses are prohibited, except that non-conforming residential uses may, after obtaining a permit from the Code Enforcement Officer, be expanded

within existing residential structures or within expansions of such structures as permitted in Section 12(C)(1)(a) above.

2. **Resumption Prohibited:** A lot, building or structure in or on which a non-conforming use is discontinued for a period exceeding one year, or which is superseded by a conforming use, may not again be devoted to a non-conforming use except that the Planning Board may, for good cause shown by the applicant, grant up to a one year extension to that time period. This provision shall not apply to the resumption of a use of a residential structure provided that the structure has been used or maintained for residential purposes during the preceding five (5) year period.
3. **Change of Use:** An existing non-conforming use may be changed to another non-conforming use provided that the proposed use has no greater adverse impact on the subject and adjacent properties and resources, than the former use, as determined by the Planning Board. The determination of no greater adverse impact shall be made according to criteria listed in Section 12(C) (4) above.

E. NON-CONFORMING LOTS

1. **Non-conforming Lots:** A non-conforming lot of record as of the effective date of this Ordinance or amendment thereto may be built upon, without the need for a variance, provided that such lot is in separate ownership and not contiguous with any other lot in the same ownership, and that all provisions of this Ordinance except lot size, lot width and shore frontage can be met. Variances relating to setback or other requirements not involving lot size or frontage shall be obtained by action of the Board of Appeals.
2. **Contiguous Built Lots:** If two or more contiguous lots or parcels are in a single or joint ownership of record at the time of adoption of this Ordinance, if all or part of the lots do not meet the dimensional requirements of this Ordinance, and if a principal use or structure exists on each lot, the non-conforming lots may be conveyed separately or together, provided that the State Minimum Lot Size Law (12 M.R.S.A. sections 4807-A through 4807-D) and Subsurface Wastewater Disposal Rules are complied with.

If two or more principal uses or structures existed on a single lot of record on the effective date of this ordinance, each may be sold on a separate lot provided that the above referenced law and rules are complied with. When such lots are divided each lot thus created must be as conforming as possible to the dimensional requirements of this ordinance.

3. **Contiguous Lots -- Vacant or Partially Built:** If two or more contiguous lots or parcels are in single or joint ownership of record at the time of or since adoption or amendment of this Ordinance, if any of these lots do not individually meet the dimensional requirements of this Ordinance or subsequent amendments, and if one or more of the lots are vacant or contain no principal structure the lots shall be combined to the extent necessary to meet the dimensional requirements.

SECTION 13 – ESTABLISHMENT OF DISTRICTS

A. RESOURCE PROTECTION DISTRICT

The Resource Protection District includes areas in which development would adversely affect water quality, productive habitat, biological ecosystems, or scenic and natural values. This district shall include the following areas when they occur within the limits of the shoreland zone, exclusive of the

Stream Protection District except that areas which are currently developed and areas which meet the criteria for the Limited Commercial District need not be included within the Resource Protection District.

1. Areas within 250 feet, horizontal distance, of the upland edge of freshwater wetlands, and wetlands associated with great ponds and rivers, which are rated "moderate" or "high" value waterfowl and wading bird habitat, including nesting and feeding areas, by the Maine Department of Inland Fisheries and Wildlife (MDIF&W) that are depicted on a Geographic Information System (GIS) data layer maintained by either MDIF&W or the Department as of May 1, 2006. For the purposes of this paragraph "wetlands associated with great ponds and rivers" shall mean areas characterized by non-forested wetland vegetation and hydric soils that are contiguous with a great pond or river, and have a surface elevation at or below the water level of the great pond or river during the period of normal high water. "Wetlands associated with great ponds or rivers" are considered to be part of that great pond or river.
2. Flood plains along rivers and flood plains along artificially formed great ponds along rivers, defined by the 100 year flood plain as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent flood plain soils.
3. Areas of two or more contiguous acres with sustained slopes of 20% or greater.
4. Areas of two (2) or more contiguous acres supporting wetland vegetation and hydric soils, which are not part of a freshwater or coastal wetland as defined, and which are not surficially connected to a water body during normal spring high water.
5. Land areas along rivers subject to severe bank erosion, undercutting, or river bed movement.
6. All land areas within non-forested freshwater wetlands, as defined herein.

B. LIMITED RESIDENTIAL DISTRICT

The Limited Residential District includes those areas suitable for residential and recreational development. It includes areas other than those in the Resource Protection District or Stream Protection District.

C. STREAM PROTECTION DISTRICT

The Stream Protection District includes all land areas within seventy-five (75) feet, horizontal distance, of the normal high-water line of a stream, exclusive of those areas within two-hundred and fifty (250) feet, horizontal distance, of the normal high-water line of a great pond, river or saltwater body, or within two hundred and fifty (250) feet, horizontal distance, of the upland edge of a freshwater wetland. Where a stream and its associated shoreland area is located within two-hundred and fifty (250) feet, horizontal distance, of the above water bodies or wetlands, that land area shall be regulated under the terms of the shoreland district associated with that water body or wetland.

D. LIMITED COMMERCIAL DISTRICT

Limited Commercial District. The Limited Commercial District includes areas of mixed, light commercial and residential uses, exclusive of the Stream Protection District, which should not be developed as intensively as the General Development Districts. This district includes areas of two or more contiguous acres in size devoted to a mix of residential and low intensity business and commercial uses. Industrial uses are prohibited.

SECTION 14 – TABLE OF LAND USES

All land use activities, as indicated in Table 1, Land Uses in the Shoreland Zone, shall conform with all of the applicable land use standards in Section 15. The district designation for a particular site shall be determined from the Official Shoreland Zoning Map.

| Key to Table 1 | |
|----------------------|----------------------------------------------------------------------------------------------|
| Yes | Allowed (no permit required but the use must comply with all applicable land use standards.) |
| No | Prohibited |
| PB | Requires permit issued by the Planning Board |
| CEO | Requires permit issued by the Code Enforcement Officer |
| LPI | Requires permit issued by the Local Plumbing Inspector |
| Abbreviations | |
| RP | Resource Protection |
| LR | Limited Residential |
| SP | Stream Protection |
| LC | Limited Commercial |

| LAND USES | SP | RP | LR | LC |
|----------------------------------------------------------------------------------------------------|-----------------|------------------|------------------|------------------|
| 1. Non-intensive recreational uses not requiring structures such as hunting, fishing and hiking | yes | yes | yes | yes |
| 2. Motorized vehicular traffic on existing roads and trails | yes | yes | yes | yes |
| 3. Forest management activities except for timber harvesting & land management roads | yes | yes | yes | yes |
| 4. Timber harvesting | yes | CEO | yes | yes |
| 5. Clearing or removal of vegetation for activities other than timber harvesting | CEO | CEO ¹ | CEO | yes |
| 6. Fire prevention activities | yes | yes | yes | yes |
| 7. Wildlife management practices | yes | yes | yes | yes |
| 8. Soil and water conservation practices | yes | yes | yes | yes |
| 9. Mineral exploration | no | yes ² | yes ² | yes ² |
| 10. Mineral extraction including sand and gravel extraction | no | PB ³ | PB | PB |
| 11. Surveying and resource analysis | yes | yes | yes | yes |
| 12. Emergency operations | yes | yes | yes | yes |
| 13. Agriculture | yes | PB | yes | yes |
| 14. Aquaculture | PB | PB | PB | yes |
| 15. Principal structures and uses | | | | |
| A. One and two family residential, including driveways | PB ⁴ | PB ⁵ | CEO | CEO |
| B. Multi-unit residential | no | no | no | PB |
| C. Commercial | no | no ⁶ | no ⁶ | PB |
| D. Industrial | no | no | no | no |
| E. Governmental and institutional | no | no | PB | PB |
| F. Small non-residential facilities for educational, scientific, or nature interpretation purposes | PB ⁴ | PB | CEO | CEO |

| LAND USES | SP | RP | LR | LC |
|----------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------|------------------------|------------------------|
| 16. Structures accessory to allowed uses | PB ⁴ | PB | CEO | CEO |
| 17. Piers, docks, wharfs, bridges and other structures and uses extending over or below the normal high-water line or within a wetland | | | | |
| a. Temporary | | | | |
| b. Permanent | CEO ⁷ PB | CEO ⁷ PB | CEO ⁷ PB | CEO ⁷ PB |
| 18. Conversions of seasonal residences to year-round residences | LPI | LPI | LPI | LPI |
| 19. Home occupations | PB | PB | PB | CEO |
| 20. Private sewage disposal systems for allowed uses | LPI | LPI | LPI | LPI |
| 21. Essential services ⁶ | | | | |
| A. Roadside distribution lines (34.5kV and lower) | CEO | CEO | yes ⁸ | yes ⁸ |
| B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone | PB | PB | CEO | CEO |
| C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone | PB | PB | PB | PB |
| D. Other essential services | PB | PB | PB | PB |
| 22. Service drops, as defined, to allowed uses | yes | yes | yes | yes |
| 23. Public and private recreational areas involving minimal structural development | PB | PB | PB | CEO |
| 24. Individual, private campsites | CEO | CEO | CEO | CEO |
| 25. Campgrounds | no | no ⁹ | PB | PB |
| 26. Road construction | PB | no ¹⁰ | PB | PB |
| 27. Land management roads | yes | PB | yes | yes |
| 28. Parking facilities | no | no ⁹ | PB | PB |
| 29. Filling and earth moving of <10 cubic yards | CEO | CEO | yes | yes |
| 30. Filling and earth moving of >10 cubic yards | PB | PB | CEO | CEO |

| LAND USES | SP | RP | LR | LC |
|-------------------------------------------------|-----|-----|------|------|
| 31. Signs | CEO | CEO | CEO | CEO |
| 32. Uses similar to allowed uses | CEO | CEO | CEO | CEO |
| 33. Uses similar to uses requiring a CEO permit | CEO | CEO | CEO | CEO |
| 34. Uses similar to uses requiring a PB permit | PB | PB | PB | PB |
| 35. Farm stand | no | no | CEO* | CEO* |
| 36. Mobile vendor | no | no | CEO+ | CEO+ |
| 37. Marine refueling stations | no | no | PB | no |
| 38. Temporary structures | CEO | CEO | CEO | CEO |

¹ In RP, not permitted within 75 feet horizontal distance of the normal high-water line of great ponds, except to remove safety hazards.

² Requires permit from the Code Enforcement Officer if more than 100 square feet of surface area, in total, is disturbed.

³ In RP not permitted in areas so designated because of wildlife value.

⁴ Provided that a variance from the setback requirement is obtained from the Board of Appeals.

⁵ Single family residential structures may be allowed by special exception only according to the provisions of Section 16 E, Special Exceptions. Two-family residences are prohibited.

⁶ Except for commercial uses otherwise listed in this Table, such as campgrounds, that are allowed in the respective district.

⁷ Excluding bridges and other crossings not involving earthwork, in which cases no permits are required.

⁸ Permit not required but must file a written “notice of intent to construct” with CEO.

⁹ Except when area is zoned for resource protection due to flood plain criteria in which case a permit is required from the PB.

¹⁰ Except to provide access to permitted uses within the district, or where no reasonable alternative route or location is available outside the RP area, in which case a permit is required from the PB.

* Subject to the provisions of Article 7, Section 402.7.15 of the Zoning Ordinance.

+ Subject to the provisions of Chapter 212.

NOTE: A person performing any of the following activities shall require a permit from the Department of Environmental Protection, pursuant to Title 38 M.R.S.A., Section 480 C, if the activity occurs in, on, over or adjacent to any freshwater wetlands, great pond, river, stream or brook and operates in such a manner that material or soil may be washed into them:

- A. Dredging, bulldozing, removing or displacing soil, sand vegetation or other materials.
- B. Draining or otherwise dewatering;
- C. Filling, including adding sand or other material to a sand dune; or
- D. Any construction or alteration of any permanent structure.

SECTION 15 – LAND USE STANDARDS

All land use activities within the shoreland zone shall conform with the following provisions, if applicable.

A. SPACE STANDARDS

1. Minimum Lot Size: 80,000 sq. ft.
2. Minimum Land Area Per Dwelling Unit: 80,000 sq. ft.
3. Minimum Shore Frontage: 200 ft.
4. Minimum Road Frontage: 200 ft.
5. Maximum Building Height: 35 ft.
6. Minimum Setbacks:
 - a. Waterbodies
 - b. 100 ft. horizontal distance from normal high water line great ponds & rivers
 - c. 75 ft. horizontal distance from normal high water line streams, upland edge of wetlands, & other water bodies
 - d. Front Property Line: 25 ft. (from edge of road way on property)
 - e. Side Property Line: 10 ft.
 - f. Rear Property Line: 10 ft.
7. Maximum Lot Coverage with Impervious Surface: 20%
8. Land below the normal high water line of a water body or upland edge of a wetland and land beneath roads serving more than two (2) lots shall not be included toward calculating minimum lot area.
9. Lots located on opposite sides of a public or private road shall be considered each a separate tract or parcel of land unless such road was established by the owner of land on both sides thereof after September 22, 1971.
10. The minimum width of any portion of any lot within one hundred (100) feet, horizontal distance, of the normal high water line of a water body or upland edge of a wetland shall be equal to or greater than the shore frontage requirement for a lot with the proposed use.
11. If more than one residential dwelling unit, principal governmental, institutional, commercial or industrial structure or use, or combination thereof, is constructed or established on a single parcel, all dimensional requirements shall be met for each additional dwelling unit, principal structure, or use.

B. PRINCIPAL AND ACCESSORY STRUCTURES

1. All new principal and accessory structures shall be set back at least one hundred (100) feet horizontal distance from the normal high-water line of great ponds classified GPA and rivers, and seventy-five (75) feet horizontal distance from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland. In addition, all new principal and accessory structures shall be setback at least ten (10) feet from each side property, (10) feet from

the rear property line and except as otherwise required by this ordinance, at least twenty-five (25) feet from the front property line or from the edge of a road travel way that crosses the property. In the Resource Protection District the setback requirement shall be 250 feet, horizontal distance, except for structures, roads, parking spaces or other regulated objects specifically allowed in that district in which case the setback requirements specified above shall apply.

- a. The water body or wetland setback provision shall neither apply to structures which require direct access to the water as an operational necessity, such as piers, docks and retaining walls, nor to other functionally water dependent uses.
 - b. On a non-conforming lot of record on which only a residential structure exists, and it is not possible to place an accessory structure meeting the required water body, tributary stream or wetland setbacks, the code enforcement officer may issue a permit to place a single accessory structure, with no utilities, for the storage of yard tools and similar equipment. Such accessory structure shall not exceed eighty (80) square feet in area nor eight (8) feet in height, and shall be located as far from the shoreline or tributary stream as practical and shall meet all other applicable standards, including lot coverage and vegetation clearing limitations. In no case shall the structure be located closer to the shoreline or tributary stream than the principal structure.
2. Principal or accessory structures and expansions of existing structures which are permitted in the Resource Protection, Limited Residential, and Stream Protection Districts, shall not exceed thirty five (35) feet in height. This provision shall not apply to structures such as transmission towers, windmills, antennas, and similar structures having no floor area.
3. The lowest floor elevation or openings of all buildings and structures including basements shall be elevated at least one foot above the elevation of the 100 year flood, the flood of record, or in the absence of these, the flood as defined by soil types identified as recent flood plain soils. Accessory structures may be placed in accordance with the standards of the Floodplain Management Ordinance and need not meet the elevation requirements of this paragraph.
4. The total area of all structures, parking lots and other non-vegetated surfaces, within the shoreland zone shall not exceed twenty (20) percent of the lot or a portion thereof, located within the shoreland zone, including land area previously developed.
5. Notwithstanding the requirements stated above, stairways or similar structures may be allowed with a permit from the Code Enforcement Officer, to provide shoreline access in areas of steep slopes or unstable soils provided; that the structure is limited to a maximum of four (4) feet in width; that the structure does not extend below or over the normal high water line of a water body or upland edge of a wetland, (unless permitted by the Department of Environmental Protection pursuant to the Natural Resources Protection Act, Title 38, Section 480 C); and that the applicant demonstrates that no reasonable access alternative exists on the property. This shall not constitute a grandfathered setback.
6. Retaining walls that are not necessary for erosion control shall meet the structure setback requirement, except for low retaining walls and associated fill provided all of the following conditions are met:
 - a. The site has been previously altered and an effective vegetated buffer does not exist;
 - b. The wall(s) is(are) at least 25 feet, horizontal distance, from the normal high-water line of a water body, tributary stream, or upland edge of a wetland;

- c. The site where the retaining wall will be constructed is legally existing lawn or is a site eroding from lack of naturally occurring vegetation, and which cannot be stabilized with vegetative plantings;
- d. The total height of the wall(s), in the aggregate, are no more than 24 inches;
- e. Retaining walls are located outside of the 100-year floodplain on rivers, streams, and tributary streams, as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent flood plain soils.
- f. The area behind the wall is re-vegetated with grass, shrubs, trees, or a combination thereof, and no further structural development will occur within the setback area, including patios and decks; and
- g. A vegetated buffer area is established within 25 feet, horizontal distance, of the normal high-water line of a water body, tributary stream, or upland edge of a wetland when a natural buffer

C. PIERS, DOCKS, WHARVES, BRIDGES AND OTHER STRUCTURES AND USES EXTENDING OVER OR BEYOND THE NORMAL HIGH WATER LINE OF A WATER BODY OR WITHIN A WETLAND.

- 1. Access from shore shall be developed on soils appropriate for such use and constructed so as to control erosion.
- 2. The location shall not interfere with existing developed or natural beach areas.
- 3. The facility shall be located so as to minimize adverse effects on fisheries.
- 4. The facility shall be no larger in dimension than necessary to carry on the activity and be consistent with existing conditions, use, and character of the area. A temporary pier, dock or wharf shall not be wider than six (6) feet for non-commercial uses.
- 5. No new structure shall be built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland unless the structure requires direct access to the water as an operational necessity.
- 6. No existing structures built on, over or abutting a pier, dock, wharf or other structure extending beyond the normal high water line of a water body or within a wetland shall be converted to residential dwelling units in any district.
- 7. New permanent piers and docks shall not be permitted unless it is clearly demonstrated to the Planning Board that a temporary pier or dock is not feasible, and a permit has been obtained from the Department of Environmental Protection, pursuant to the Natural Resources Protection Act.
- 8. Structures built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland shall not exceed twenty (20) feet in height above the pier, wharf, dock or other structure.

NOTE: Permanent structures projecting into or over water bodies shall require a permit from the Department of Environmental Protection pursuant to the Natural Resources Protection Act, Title 38 M.R.S.A., Section 480-C.

D. CAMPGROUNDS

Campgrounds shall conform to the minimum requirements imposed under State licensing procedures and the following:

1. Campgrounds shall contain a minimum of five thousand (5,000) square feet of land, not including roads and driveways, for each site. Land supporting wetland vegetation, and land below the normal high-water line of a water body shall not be included in calculating land area per site.
2. The areas intended for placement of a recreational vehicle, tent or shelter, and utility and service buildings shall be set back a minimum of one hundred (100) feet from the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.

E. INDIVIDUAL PRIVATE CAMPSITES

Individual, private campsites not associated with campgrounds are permitted provided the following conditions are met:

1. One campsite per lot existing on the effective date of this Ordinance, or thirty thousand (30,000) square feet of lot area within the shoreland zone, whichever is less, may be permitted.
2. Campsite placement on any lot, including the area intended for a recreational vehicle or tent platform, shall be set back one hundred (100) feet from the normal high-water line of a great pond classified GPA or river flowing to a great pond classified GPA, and seventy-five (75) feet from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.
3. Recreational vehicles shall not be located on any type of permanent foundation except for a gravel pad, and no structure(s) except canopies shall be attached to the recreational vehicle. Only a single recreational vehicle shall be permitted on an individual private campsite.
4. The clearing of vegetation for the siting of the recreational vehicle, tent or similar shelter in a
5. A written sewage disposal plan describing the proposed method and location of sewage disposal shall be required for each campsite and shall be approved by the Local Plumbing Inspector. Where disposal is off-site, written authorization from the receiving facility or land owner is required.
6. When a recreational vehicle, tent or similar shelter is placed on-site for more than one hundred and twenty (120) days per year, all requirements for residential structures shall be met, including the installation of a subsurface sewage disposal system in compliance with the State of Maine Subsurface Wastewater Disposal Rules unless served by public sewage facilities.

F. PARKING AREAS

1. Parking areas shall meet the setback requirements for structures for the district in which such areas are located. The setback requirement for parking areas serving public boat launching facilities may be reduced to no less than fifty (50) feet horizontal distance from the normal high-water line of the shore or tributary stream or from the upland edge of a wetland if the Planning Board finds that no other reasonable alternative exists further from the shoreline, wetland or tributary stream.

2. Parking areas shall be adequately sized for the proposed use and shall be designed to prevent stormwater runoff from flowing directly into a water body, and where feasible, to retain all
3. In determining the appropriate size of proposed parking facilities, the following shall apply:
 - a. Typical parking space: Approximately ten (10) feet wide and twenty (20) feet long, except that parking spaces for a vehicle and boat trailer shall be forty (40) feet long.
 - b. Internal travel aisles: Approximately twenty (20) feet wide.

G. ROADS AND DRIVEWAYS

The following standards shall apply to the construction of roads and/or driveways and drainage systems, culverts and other related features.

1. Roads and driveways shall be set back at least one-hundred (100) feet from the normal high-water line of a great pond classified GPA or a river that flows to a great pond classified GPA, and seventy-five (75) feet from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland unless no reasonable alternative exists as determined by the Code Enforcement Officer. If no other reasonable alternative exists, the Code Enforcement Officer may reduce the road and/or driveway setback requirement to no less than fifty (50) feet upon clear showing by the applicant that appropriate techniques will be used to prevent sedimentation of the water body. Such techniques may include, but are not limited to, the installation of settling basins, and/or the effective use of additional ditch relief culverts and turnouts placed so as to avoid sedimentation of the water body, tributary stream, or wetland.

On slopes of greater than twenty (20) percent the road and/or driveway setback shall be increased by ten (10) feet for each five (5) percent increase in slope above twenty (20) percent.

This paragraph shall neither apply to approaches to water crossings nor to roads or driveways that provide access to permitted structures, and facilities located nearer to the shoreline due to an operational necessity excluding temporary docks for recreational uses. Roads and driveways providing access to permitted structures within the setback area shall comply fully with the requirements of this sub-section except for that portion of the road or driveway necessary for direct access to the structure.

2. Existing public roads may be expanded within the legal road right-of-way regardless of its setback from a water body.
3. New roads and driveways are prohibited in a Resource Protection District except to provide access to permitted uses within the district, or as approved by the Planning Board upon a finding that no reasonable alternative route or location is available outside the district, in which case the road and/or driveway shall be set back as far as practicable from the normal high-water line of a water body, tributary stream, or upland edge of a wetland.
4. Road and driveway banks shall be no steeper than a slope of two (2) horizontal to one (1) vertical, and shall be graded and stabilized in accordance with the provisions for erosion and sedimentation control contained in subsection P.
5. Road and driveway grades shall be no greater than ten (10) percent except for short segments of less than two hundred (200) feet.

6. In order to prevent road and driveway surface drainage from directly entering water bodies, roads and driveways shall be designed, constructed, and maintained to empty onto an unscarified buffer strip at least (50) feet plus two times the average slope, in width between the outflow point of the ditch or culvert and the normal high-water line of a water body, tributary stream, or upland edge of a wetland. Surface drainage which is directed to an unscarified buffer strip shall be diffused or spread out to promote infiltration of the runoff and to minimize channelized flow of the drainage through the buffer strip.
7. Ditch relief (cross drainage) culverts, drainage dips and water turnouts shall be installed in a manner effective in directing drainage onto unscarified buffer strips before the flow in the road or ditches gains sufficient volume or head to erode the road, driveway or ditch. To accomplish this, the following shall apply:
 - a. Ditch relief culverts, drainage dips and associated water turnouts shall be spaced along the road or driveway at intervals no greater than indicated in the following table:

| Grade (Percent) | Spacing (Feet) |
|------------------------|-----------------------|
| 0-2 | 250 |
| 3-5 | 200-135 |
| 6-10 | 100-80 |
| 11-15 | 80-60 |
| 16-20 | 60-45 |
| 21+ | 40 |

- b. Drainage dips may be used in place of ditch relief culverts only where the grade is ten (10) percent or less.
 - c. On sections having slopes greater than ten (10) percent, ditch relief culverts shall be placed at approximately a thirty (30) degree angle downslope from a line perpendicular to the centerline of the road or driveway.
 - d. Ditch relief culverts shall be sufficiently sized and properly installed in order to allow for effective functioning and their inlet and outlet ends shall be stabilized with appropriate materials.
8. Ditches, culverts, bridges, dips, water turnouts and other storm water runoff control installations associated with roads and driveways shall be maintained on a regular basis to assure effective functioning.

H. SIGNS

The following provisions shall govern the use of signs in the Resource Protection, Stream Protection and Limited Residential Districts:

1. Signs and billboards relating to goods and services sold on the premises shall be permitted, provided that such signs shall not exceed six (6) square feet in area and shall not exceed one (1) sign per premises. Billboards and signs relating to goods or services not sold or rendered on the premises shall be prohibited.
2. Name signs shall be permitted, provided such signs shall not exceed one (1) sign per premise.

3. Residential users may display a single sign not over three (3) square feet in area relating to the sale, rental, or lease of the premises.
4. Signs relating to trespassing and hunting shall be permitted without restriction as to number provided that no such sign shall exceed two (2) square feet in area.
5. Signs relating to public safety shall be permitted without restriction.
6. No sign shall extend higher than eight (8) feet above the ground to the highest point of the sign.
7. Signs may be illuminated only by shielded, non-flashing lights.

I. STORM WATER RUNOFF

1. All new construction and development shall be designed to minimize storm water runoff from the site in excess of the natural predevelopment conditions. Where possible, existing natural runoff control features, such as berms, swales, terraces and wooded areas shall be retained in order to reduce runoff and encourage infiltration of storm waters.
2. Storm water runoff control systems shall be maintained as necessary to ensure proper functioning.

J. SEPTIC WASTE DISPOSAL

1. All new and replacement subsurface sewage disposal systems shall be installed in conformance with the State of Maine Subsurface Wastewater Disposal Rules (Rules) and the following:
 - a. Clearing or removal of woody vegetation necessary to site a new system and any associated fill extensions, shall not extend closer than seventy-five (75) feet, horizontal distance, from the normal high-water line of a water body or the upland edge of a wetland and
 - b. A holding tank is not allowed for a first-time residential use in the shoreland zone.

K. ESSENTIAL SERVICES

1. Where feasible, the installation of essential services shall be limited to existing public ways and existing service corridors.
2. The installation of essential services is not permitted in a Resource Protection or Stream Protection District, except to provide services to a permitted use within said district, or except where the applicant demonstrates that no reasonable alternative exists. Where permitted, such structures and facilities shall be located so as to minimize any adverse impacts on surrounding uses and resources, including visual impacts.
3. Damaged or destroyed public utility transmission and distribution lines, towers and related equipment may be replaced or reconstructed without a permit.

L. MINERAL EXPLORATION AND EXTRACTION

Mineral exploration to determine the nature or extent of mineral resources shall be accomplished by hand sampling, test boring, or other methods which create minimal disturbance of less than one hundred (100) square feet of ground surface. A permit from the Code Enforcement Officer shall be required for mineral exploration which exceeds the above limitation. All excavations, including test pits and holes shall be immediately capped, filled or secured by other equally effective measures, so as to restore disturbed areas and to protect the public health and safety.

Mineral extraction may be permitted under the following conditions:

1. A reclamation plan shall be filed with, and approved by the Planning Board before a permit is granted. Such plan shall describe in detail procedures to be undertaken to fulfill the requirements of paragraph 4 below.
2. Unless authorized pursuant to the Natural Resources Protection Act, Title 38, M.R.S.A, Section 480-C no part of any extraction operation, including drainage and runoff control features shall be permitted within one hundred (100) feet of the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and within seventy-five (75) feet of the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland. Extraction operations shall not be permitted within seventy-five (75) feet of any property line, without written permission of the owner of such adjacent property.
3. Within twelve (12) months following the completion of extraction operations at any extraction site, which operations shall be deemed complete when less than one hundred (100) cubic yards of materials are removed in any consecutive twelve (12) month period, ground levels and grades shall be established in accordance with the following:
 - a. All debris, stumps, and similar material shall be removed for disposal in an approved location, or shall be buried on-site. Only materials generated on-site may be buried or covered on-site.
 - b. The final graded slope shall be two and one-half to one (2 1/2:1) slope or flatter.
 - c. Top soil or loam shall be retained to cover all disturbed land areas, which shall be reseeded and stabilized with vegetation native to the area. Additional topsoil or loam shall be obtained from offsite sources if necessary to complete the stabilization project.
4. In keeping with the purposes of this Ordinance, the Planning Board may impose such conditions as are necessary to minimize the adverse impacts associated with mineral extraction operations on surrounding uses and resources.

M. AGRICULTURE

1. All spreading of manure shall be accomplished in conformance with the Manure Utilization Guidelines published by the Maine Department of Agriculture on November 1, 2001, and the Nutrient Management Law (7 M.R.S.A. sections 4201-4209).
2. Manure shall not be stored or stockpiled in an unprotected manner so as to produce runoff within one hundred (100) feet, horizontal distance, of a great pond classified GPA or a river or stream flowing to a great pond, classified GPA, or within seventy five (75) feet horizontal distance, of other water bodies, tributary streams, or wetlands, except not more than sixty (60) cubic feet of manure may be temporarily stored or stockpiled for a period not to exceed sixty (60) consecutive days. Within five (5) years of the effective date of this ordinance all manure storage areas within the shoreland zone must be constructed or modified such that the facility produces no discharge of effluent or contaminated storm water. Existing facilities which do not meet the setback requirement may remain, but must meet the no discharge provision within the above five (5) year period.
3. Agricultural activities involving tillage of soil greater than forty thousand (40,000) square feet in surface area, or the spreading, disposal or storage of manure within the shoreland zone shall require a Soil and Water Conservation Plan to be filed with the Planning Board. Once such a plan has been recorded, such plan may be transferred to a new owner provided such agricultural

activity continues to be in conformance with the Plan. Non-conformance with the provisions of said plan shall be considered to be a violation of this Ordinance.

NOTE: Assistance in preparing a soil and water conservation plan may be available through the local Soil and Water Conservation District office.

4. There shall be no new tilling of soil within one-hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance, from other water bodies; nor within twenty-five (25) feet, horizontal distance, of tributary streams, and wetlands. Operations in existence on the effective date of this ordinance and not in conformance with this provision may be maintained but shall require a Soil and Water Conservation plan to be filed with the Planning Board. Once a Soil and Water Conservation Plan for the tilling of soil has been recorded with the Planning Board, the rights and privileges of such plan may be transferred to a new owner provided the tilling practice continues to be in conformance with the plan.
5. After the effective date of this Ordinance, newly established livestock grazing areas shall not be permitted within one hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance of other water bodies, nor; within twenty-five (25) feet, horizontal distance, of tributary streams, and wetlands. Livestock grazing associated with ongoing farm activities, and which are not in conformance with the above setback provisions may continue, provided that such grazing is conducted in accordance with a Soil and Water Conservation Plan. Once a Soil and Water Conservation Plan for livestock grazing has been recorded with the Planning Board, the rights and privileges of such plan may be transferred to a new owner provided the livestock grazing practices continues to be in conformance with the plan.

N. TIMBER HARVESTING

1. In a shoreland area zoned for the resource protection abutting a great pond, timber harvesting shall be limited to the following:
 - a. Within the strip of land extending seventy five (75) feet horizontal distance inland from the normal high-water line timber harvesting may be conducted when the following conditions are met:
 - (i) The ground is frozen;
 - (ii) There is no resultant soil disturbance;
 - (iii) The removal of trees is accomplished using a cable or boom and there is no entry of tracked or wheeled vehicles into the 75-foot strip of land;
 - (iv) There is no cutting of trees less than 6 inches in diameter; no more than 30% of the trees 6 inches or more in diameter, measured at 4 ½ feet above ground level, are cut in any 10-year period; and a well-distributed stand of trees and other natural vegetation remains; and
 - (v) A licensed professional forester has marked the trees to be harvested prior to a permit being issued by the municipality.
 - b. Beyond the seventy five (75) foot buffer strip referred to in paragraph a. above, timber harvesting is permitted in accordance with paragraph 2 below except that in no case shall the

average residual basal area of trees over four (4) inches in diameter measured at four and one half (4 1/2) feet above ground level be reduced to less than thirty (30) square feet per acre.

2. Except in areas as described in Paragraph 1 above, timber harvesting shall conform with the following provisions:
 - a. Selective cutting of no more than forty (40) percent of the total volume of trees four (4) inches or more in diameter measured at 4 1/2 feet above ground level on any lot in any ten (10) year period is permitted. In addition:
 - (i) Within one-hundred (100) feet, horizontal distance of the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and within seventy-five (75) feet, horizontal distance, of the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland, there shall be no clear-cut openings and a well-distributed stand of trees and other vegetation, including existing ground cover, shall be maintained.
 - (ii) At distances greater than one-hundred (100) feet, horizontal distance, of a great pond classified GPA or a river flowing to a great pond classified GPA, and greater than seventy-five (75) feet, horizontal distance, of the normal high-water line of other water bodies or the upland edge of a wetland, harvesting operations shall not create single clear-cut openings greater than ten thousand (10,000) square feet in the forest canopy. Where such openings exceed five-thousand (5,000) square feet they shall be at least one hundred (100) feet apart. Such clear-cut openings shall be included in the calculation of total volume removal. For the purposes of these standards volume may be considered to be equivalent to basal area.
 - b. Timber harvesting operations exceeding the 40% limitation in sub-section a. above, may be allowed by the planning board upon a clear showing, including a forest management plan signed by a Maine licensed professional forester, that such an exception is necessary for good forest management and will be carried out in accordance with the purposes of this Ordinance. The planning board shall notify the Commissioner of the Department of Environmental Protection of each exception allowed, within fourteen (14) days of the planning board's decision.
 - c. No accumulation of slash shall be left within fifty (50) feet of the normal high-water line of a water body. In all other areas slash shall either be removed or disposed of in such a manner that it lies on the ground and no part thereof extends more than four (4) feet above the ground. Any debris that falls below the normal high-water line of a water body shall be removed.
 - d. Timber harvesting equipment shall not use stream channels as travel routes except when:
 - (i) Surface waters are frozen; and
 - (ii) The activity will not result in any ground disturbance.
 - e. All crossings of flowing water shall require a bridge or culvert, except in areas with low banks and channel beds which are composed of gravel, rock or similar hard surface which would not be eroded or otherwise damaged.
 - f. Skid trail approaches to water crossings shall be located and designed so as to prevent water runoff from directly entering the water body or tributary stream. Upon completion of timber

harvesting, temporary bridges and culverts shall be removed and areas of exposed soil re-vegetated.

- g. Except for water crossings, skid trails and other sites where the operation of machinery used in timber harvesting results in the exposure of mineral soil shall be located such that an unscarified strip of vegetation of at least seventy-five (75) feet in width for slopes up to ten (10) percent shall be retained between the exposed mineral soil and the normal high-water line of a water body or upland edge of a wetland. For each ten (10) percent increase in slope, the unscarified strip shall be increased by twenty (20) feet. The provisions of this paragraph apply only to a face sloping toward the water body or wetland, provided, however, that no portion of such exposed mineral soil on a back face shall be closer than twenty five (25) feet from the normal high-water line of a water body or upland edge of a wetland.

O. CLEARING OF VEGETATION FOR DEVELOPMENT

1. Within a shoreland area zoned for Resource Protection abutting a great pond, there shall be no cutting of vegetation within the strip of land extending 75 feet, horizontal distance, inland from the normal high water line, except to remove safety hazards.

Elsewhere, in any Resource Protection District the clearing of vegetation shall be limited to that which is necessary for uses expressly authorized in that district.

2. Except in areas as described in Paragraph 1, above, and except to allow for the development of permitted uses, within a strip of land extending one-hundred (100) feet, horizontal distance, inland from the normal high-water line of a great pond classified GPA or a river, and seventy-five (75) feet, horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:
 - a. There shall be no cleared opening greater than 250 square feet in the forest canopy as measured from the outer limits of the tree crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks is permitted provided that a cleared line of sight to the water through the buffer strip is not created.
 - b. Selective cutting of trees within the buffer strip is permitted provided that a well distributed stand of trees and other vegetation is maintained. For the purposes of this section a "well-distributed stand of trees and other vegetation" adjacent to a great pond classified GPA or a river or stream flowing to a great pond classified GPA, shall be defined as maintaining a rating score of 12 or more in any 25-foot by 25-foot square (625 square feet) area as determined by the following rating system.

| Diameter of Tree at 4-1/2 feet Above Ground Level (inches) | Points |
|---------------------------------------------------------------|--------|
|---------------------------------------------------------------|--------|

| | |
|---------|---|
| 2-4 in. | 1 |
|---------|---|

| | |
|-----------|---|
| >4-12 in. | 2 |
|-----------|---|

| | |
|---------|---|
| >12 in. | 4 |
|---------|---|

Adjacent to other water bodies, tributary streams, and wetlands, a "well distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of 8 per 25 foot square area.

Note: As an example, adjacent to a great pond, if a 25-foot x 25-foot plot contains three (3) trees between 2 and 4 inches in diameter, three trees between 4 and 12 inches in diameter, and three trees over 12 inches in diameter, the rating score is: $(3 \times 1) + (3 \times 2) + (3 \times 4) = 21$ points

Thus, the 25-foot by 25-foot plot contains trees worth 21 points. Trees totaling 9 points ($21 \div 2 = 9$) may be removed from the plot provided that no cleared openings are created.

The following shall govern in applying this point system:

The 25-foot by 25-foot rectangular plots must be established where the landowner or lessee proposes clearing within the required buffer;

- (i) Each successive plot must be adjacent to, but not overlap a previous plot;
- (ii) Any plot not containing the required points must have no vegetation removed except as otherwise allowed by this Ordinance;
- (iii) Any plot containing the required points may have vegetation removed down to the minimum points required or as otherwise allowed by is Ordinance;
- (iv) Where conditions permit, no more than 50% of the points on any 25-foot by 25-foot rectangular area may consist of trees greater than 12 inches in diameter.

For the purposes of this sub-section, "other natural vegetation" that must be retained in addition to trees meeting the point system requirements is defined as retaining existing vegetation under three (3) feet in height and other ground cover and retaining at least three (3) saplings less than two (2) inches in diameter at four and one-half ($4 \frac{1}{2}$) feet above ground level for each 25-foot by 25-foot rectangular area. If three (3) saplings do not exist, no woody stems less than two (2) inches in diameter can be removed until 3 saplings have been recruited into the plot.

Notwithstanding the above provisions, no more than 40% of the total volume of trees four (4) inches or more in diameter, measured at $4 \frac{1}{2}$ feet above ground level may be removed in any ten (10) year period.

- c. In order to protect water quality and wildlife habitat, existing vegetation under three (3) feet in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered or removed, except to provide for a footpath or other permitted uses as described in Section 15 O. paragraphs 2 and 2a. above.
- d. Pruning of tree branches, on the bottom $\frac{1}{3}$ of the tree is permitted.
- e. In order to maintain a buffer strip of vegetation, when the removal of storm-damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native tree species unless existing new tree growth is present.

The provisions contained in paragraph 2 above shall not apply to those portions of public recreational facilities adjacent to public swimming areas. Cleared areas, however, shall be limited to the minimum area necessary.

3. At distances greater than one hundred (100) feet, horizontal distance, from a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland, except to allow for the development of permitted uses, there shall be permitted on any lot, in any ten (10) year period, selective cutting of not more than forty (40) percent of the volume of trees four (4) inches or more in diameter, measured 4 1/2 feet above ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty (40) percent calculation. For the purposes of these standards volume may be considered to be equivalent to basal area.

In no event shall cleared openings for development, including but not limited to, principal and accessory structures, driveways and sewage disposal areas, exceed in the aggregate, 25% of the lot area or ten thousand (10,000) square feet, whichever is greater, including land previously developed.

4. Cleared openings legally in existence on the effective date of this Ordinance may be maintained, but shall not be enlarged, except as permitted by this Ordinance.
5. Fields which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

P. EROSION AND SEDIMENTATION CONTROL

1. All activities which involve filling, grading, excavation or other similar activities which result in un-stabilized soil conditions and which require a permit shall require a written soil erosion and sedimentation control plan. The plan shall be submitted to the Code Enforcement Officer for approval and shall include, where applicable, provisions for:
 - a. Mulching and re-vegetation of disturbed soil.
 - b. Temporary runoff control features such as hay bales, silt fencing or diversion ditches.
 - c. Permanent stabilization structures such as retaining walls or riprap.
2. In order to create the least potential for erosion, development shall be designed to fit with the topography and soils of the site. Areas of steep slopes where high cuts and fills may be required shall be avoided wherever possible, and natural contours shall be followed as closely as possible.
3. Erosion and sedimentation control measures shall apply to all aspects of the proposed project involving land disturbance, and shall be in operation during all stages of the activity. The amount of exposed soil at every phase of construction shall be minimized to reduce the potential for erosion.
4. Any exposed ground area shall be temporarily or permanently stabilized within one (1) week from the time it was last actively worked, by use of riprap, sod, seed, and mulch, or other effective measures. In all cases permanent stabilization shall occur within nine (9) months of the initial date of exposure. In addition:

- a. Where mulch is used, it shall be applied at a rate of at least one (1) bale per five hundred (500) square feet and shall be maintained until a catch of vegetation is established.
 - b. Anchoring the mulch with netting, peg and twine or other suitable method may be required to maintain the mulch cover.
 - c. Additional measures shall be taken where necessary in order to avoid siltation into the water. Such measures may include the use of staked hay bales and/or silt fences.
5. Natural and man-made drainage ways and drainage outlets shall be protected from erosion from water flowing through them. Drainageways shall be designed and constructed in order to carry water from a twenty five (25) year storm or greater, and shall be stabilized with vegetation or lined with riprap.

Q. SOILS

All land uses shall be located on soils in or upon which the proposed uses or structures can be established or maintained without causing adverse environmental impacts, including severe erosion, mass soil movement, improper drainage, and water pollution, whether during or after construction. Proposed uses requiring subsurface waste disposal shall require a soils report based on an on-site investigation and be prepared by state-certified professionals. Certified persons may include Maine Certified Soil Scientists, Maine Registered Professional Engineers, Maine State Certified Geologists and other persons who have training and experience in the recognition and evaluation of soil properties. The report shall be based upon the analysis of the characteristics of the soil and surrounding land and water areas, maximum ground water elevation, presence of ledge, drainage conditions, and other pertinent data which the evaluator deems appropriate. The soils report shall include recommendations for a proposed use to counteract soil limitations where they exist.

R. WATER QUALITY

No activity shall deposit on or into the ground or discharge to the waters of the State any pollutant that, by itself or in combination with other activities or substances will impair designated uses or the water classification of the water body.

S. ARCHAEOLOGICAL SITES

Any proposed land use activity involving structural development or soil disturbance on or adjacent to sites listed on, or eligible to be listed on the National Register of Historic Places, as determined by the Planning Board shall be submitted by the applicant to the Maine Historic Preservation Commission for review and comment, at least twenty (20) days prior to action being taken by the Planning Board. The Planning Board shall consider comments received from the Commission prior to rendering a decision on the application.

T. MARINE REFUELING FACILITIES

Marine Refueling facilities shall be allowed in the Limited Residential District for boats and other water related craft primarily operated on the surface of the water. Refueling for seaplanes is not allowed.

Marine Refueling facilities shall comply with the following performance standards:

1. Space Standards – In addition to the space standards of the Shoreland Zoning Ordinance, marine refueling facilities shall comply with the following standards:
 - a. A minimum of three hundred feet (300') of lake frontage;

- b. A setback of one hundred feet (100') from all property lines for the product delivery line;
 - c. All applicable space standards of the State Fire Marshall's Office.
2. State and Federal regulations -- In addition to the regulations of the Shoreland Zoning Ordinance, refueling facilities shall comply with all applicable standards of the following:
 - a. The Maine Department of Environmental Protection;
 - b. The Maine Forestry Service;
 - c. The Maine Department of Wildlife and Inland Fisheries;
 - d. The State Fire Marshall's Office and the Town of Gray Fire Department;
 - e. Federal Spill Prevention Containment Control;
 - f. The Natural Resources Protection Act;
 - g. All other applicable Local, State and Federal regulations.
 3. A copy of all Certificates of Inspections shall be filed with the Town of Gray Code Enforcement Officer.
 4. Period of operation, noise control, lighting standards, and sureties shall be as determined by the Planning Board.

U. TEMPORARY STRUCTURES

1. Temporary structures including temporary living quarters used in conjunction with disasters such as fire, flood, lightning, hurricanes, and ice or snowstorms and other forces of nature shall be permitted only during the period that restoration work is in progress.
2. Restoration work includes the repairing, rebuilding, and altering of a premise, land, or structure to a former, normal, or unimpaired state or condition including but not limited to the cleaning and removal of debris, trash, and waste.
3. Temporary structures shall not encroach any further upon the setback requirements of the structure destroyed. Any deviation from those setbacks must be approved by the Code Enforcement Officer.
4. Temporary living quarters shall be connected to the existing septic system or to an alternate system which, in either case, must comply with the Plumbing Code and be approved by the Code Enforcement Officer.
5. Permits for temporary structures shall be issued for a six- (6) month period and may be renewed by the Code Enforcement Officer for a maximum of one extension provided a duly authorized building and plumbing permit has been issued for a permanent structure.

V. COMMERCIAL & INDUSTRIAL USES PROHIBITED

The following new commercial and industrial uses are prohibited within the shoreland zone adjacent to great ponds classified GPA, and rivers and streams which flow to great ponds classified GPA:

1. Auto washing facilities
2. Auto or other vehicle service and/or repair operations, including body shops
3. Chemical and bacteriological laboratories

4. Storage of chemicals, including herbicides, pesticides or fertilizers, other than amounts normally associated with individual households or farms
5. Commercial painting, wood preserving, and furniture stripping
6. Dry cleaning establishments
7. Electronic circuit assembly
8. Laundromats, unless connected to a sanitary sewer
9. Metal plating, finishing, or polishing
10. Petroleum or petroleum product storage and/or sale except storage on same property as use occurs and except for storage and sales associated with marinas
11. Photographic processing
12. Printing

SECTION 16 – ADMINISTRATION

A. ADMINISTERING BODIES AND AGENTS

1. Code Enforcement Officer - A Code Enforcement Officer shall be appointed by the Town.
2. Board of Appeals - A Board of Appeals shall be created in accordance with the provisions of Title 30 A Section 2691.
3. Planning Board - A Planning Board shall be created in accordance with the provisions of State law.

B. PERMITS REQUIRED

After the effective date of this Ordinance no person shall, without first obtaining a permit, engage in any activity or use of land or structure requiring a permit in the district in which such activity or use would occur; or expand, change, or replace an existing use or structure; or renew a discontinued nonconforming use. In addition, no permit shall be issued under this ordinance unless the application complies with the requirements of Section 601.19 of the Town's Administrative Code Ordinance.

1. A permit is not required for the replacement of an existing road culvert as long as:
 - a. The replacement culvert is not more than 25% longer than the culvert being replaced;
 - b. The replacement culvert is no longer than 75 feet; and
 - c. Adequate erosion control measures are taken to prevent sedimentation of the water, and the crossing does not block fish passage in the watercourse.
2. A permit is not required for an archaeological excavation as long as the excavation is conducted by an archaeologist listed on the State Historic Preservation Officer's level 1 or level 2 approved list, and unreasonable erosion and sedimentation is prevented by means of adequate and timely temporary and permanent stabilization measures.
3. Any permit required by this Ordinance shall be in addition to any other permit required by other law or ordinance.

C. PERMIT APPLICATION

1. Every applicant for a permit shall submit a written application, including a scaled site plan, on a form provided by the municipality, to the appropriate official as indicated in Section 14.
2. All applications shall be signed by the owner or owners of the property or other person authorizing the work, certifying that the information in the application is complete and correct. If the person signing the application is not the owner or lessee of the property then that person shall submit a letter of authorization from the owner or lessee.
3. All applications shall be dated, and the Code Enforcement Officer or Planning Board, as appropriate, shall note upon each application the date and time of its receipt.
4. If the property is not served by a public sewer, a valid plumbing permit or a completed application for a plumbing permit, including the site evaluation approved by the Plumbing Inspector, shall be submitted whenever the nature of the proposed structure would require the installation of a subsurface sewage disposal system.

D. PROCEDURE FOR ADMINISTERING PERMITS

Within 35 days of the date of receiving a written application, the Planning Board or Code Enforcement Officer, as indicated in Section 14, shall notify the applicant either that the application is a complete application, or, if the application is incomplete, that specified additional material is needed to make the application complete. The Planning Board or the Code Enforcement Officer, as appropriate, shall approve, approve with conditions, or deny all permit applications in writing within 35 days of receiving a completed application. However, if the Planning Board has a waiting list of applications, a decision on the application shall occur within 35 days after the first available date on the Planning Board's agenda following receipt of the completed application, or within 35 days of the public hearing, if one is held. Permits shall be approved if the proposed use or structure is found to be in conformance with the purposes and provisions of this Ordinance.

The applicant shall have the burden of proving that the proposed land use activity is in conformity with the purposes and provisions of this Ordinance and that the accuracy, measurements and documentation are in accordance with the requirements of this ordinance.

After the submission of a complete application, the Planning Board or Code Enforcement Officer, as appropriate, the appropriate reviewing authority shall approve an application or approve it with conditions if the appropriate reviewing authority makes a positive finding based on the information presented that the proposed use:

1. Will maintain safe and healthful conditions;
2. Will not result in water pollution, erosion, or sedimentation to surface waters;
3. Will adequately provide for the disposal of all wastewater;
4. Will not have an adverse impact on spawning grounds, fish, aquatic life, bird or other wildlife habitat;
5. Will conserve shore cover and visual, as well as actual, points of access to inland waters;
6. Will protect archaeological and historic resources as designated in the comprehensive plan;
7. Will avoid problems associated with flood plain development and use; and

8. Is in conformance with the provisions of Section 15, Land Use Standards.

If a permit is either denied or approved with conditions, the reasons as well as conditions shall be stated in writing. No approval shall be granted for an application involving a structure if the structure would be located in an unapproved subdivision or would violate any other local ordinance or regulation or any State law which the municipality is responsible for enforcing.

E. SPECIAL EXCEPTIONS FOR SINGLE FAMILY CONSTRUCTION IN THE RESOURCE PROTECTION DISTRICT

In addition to the criteria specified in Section 16(D) above, excepting structure setback requirements, the Planning Board may approve a permit for a single family residential structure in a Resource Protection District provided that the applicant demonstrates that all of the following conditions are met:

1. There is no location on the property, other than a location within the Resource Protection District, where the structure can be built.
2. The lot on which the structure is proposed is undeveloped and was established and recorded in the registry of deeds of the county in which the lot is located before the adoption of the Resource Protection District.
3. All proposed buildings, sewage disposal systems and other improvements are:
 - a. Located on natural ground slopes of less than 20%; and
 - b. Located outside the floodway of the 100-year flood-plain along rivers and artificially formed great ponds along rivers, based on detailed flood insurance studies and as delineated on the Federal Emergency Management Agency's Flood Boundary and Floodway Maps and Flood Insurance Rate Maps; all buildings, including basements, are elevated at least one foot above the 100-year flood-plain elevation; and the development is otherwise in compliance with any applicable municipal flood-plain ordinance.

If the floodway is not shown on the Federal Emergency Management Agency Maps, it is deemed to be 1/2 the width of the 100-year flood-plain.

4. The total ground-floor area, including cantilevered or similar overhanging extensions, of all principal and accessory structures is limited to a maximum of 1,500 square feet. This limitation shall not be altered by variance.
5. All structures, except functionally water-dependent structures, are set back from the normal high-water line of a water body, tributary stream or upland edge of a wetland to the greatest practical extent, but not less than 75 feet, horizontal distance. In determining the greatest practical extent, the Planning Board shall consider the depth of the lot, the slope of the land, the potential for soil erosion, the type and amount of vegetation to be removed, the proposed building site's elevation in regard to the flood-plain, and its proximity to moderate-value and high-value wetlands.

F. EXPIRATION OF PERMIT

Following the issuance of a permit, if no substantial start is made in construction or in the use of the property within one year of the date of the permit, the permit shall lapse and become void.

G. INSTALLATION OF PUBLIC UTILITY SERVICE

No public utility, water district, sanitary district or any utility company of any kind may install

services to any new structure located in the shoreland zone unless written authorization attesting to the validity and currency of all local permits required under this or any previous Ordinance, has been issued by the appropriate municipal officials. Following installation of service, the company or district shall forward the written authorization to the municipal officials, indicating that installation has been completed.

H. **APPEALS**

1. Powers and Duties of the Board of Appeals - The Board of Appeals shall have the following powers:
 - a. Administrative Appeals: To hear and decide appeals where it is alleged that there is an error in any order, requirement, decision, or determination made by, or failure to act by, the Code Enforcement Officer or Planning Board in the enforcement or administration of this Ordinance; and to hear and decide administrative appeals on a de novo basis where it is alleged by an aggrieved party that there is an error in any order, requirement, decision or determination made by, or failure to act by, the Code Enforcement Officer in his or her review of and action on a permit application or potential ordinance violation under this Ordinance.
 - b. Variance Appeals: To authorize variances upon appeal, within the limitations set forth in this Ordinance.
2. Variance Appeals
Except as provided in subsection 2-A, Variances may be permitted only under the following conditions:
 - a. Variances may be granted only from dimensional requirements including but not limited to, lot width, structure height, percent of lot coverage, and setback requirements.
 - b. Variances shall not be granted for establishment of any uses otherwise prohibited by this Ordinance.
 - c. The Board shall not grant a variance unless it finds that:
 - (i) The proposed structure or use would meet the provisions of Section 15 except for the specific provision which has created the non-conformity and from which relief is sought; and
 - (ii) The strict application of the terms of this Ordinance would result in undue hardship.

The term "undue hardship" shall mean:

 - (01) That the land in question cannot yield a reasonable return unless a variance is granted;
 - (02) That the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood
 - (03) That the granting of a variance will not alter the essential character of the locality; and
 - (04) That the hardship is not the result of action taken by the applicant or a prior owner.
 - d. Set-back variance for single family dwelling:
The Board may grant a variance from a set-back requirement for a single family dwelling

under this section only when the strict application of the zoning ordinance to the petitioner and the petitioner's property would cause undue hardship. The term "undue hardship" as used in this subsection means:

- (i) The need for the variance is due to the unique circumstances of the property and not the general conditions of the neighborhood;
- (ii) The granting of the variance will not alter the essential character of the locality;
- (iii) The hardship is not the result of action taken by the applicant or prior owner;
- (iv) The granting of the variance will not substantially reduce or impair the use of abutting property; and
- (v) That the granting of the variance is based upon demonstrated need, not convenience, and no other feasible alternative is available.

This ordinance provision is strictly limited to permitting a variance from a set-back requirement for a single-family dwelling that is the primary year-round residence of the petitioner. A variance under this subsection may not exceed 20% of a set-back requirement and may not be granted if the variance would cause the area of the dwelling to exceed the maximum permissible lot coverage. For lots lawfully existing non-conforming lots of record recorded at the Registry of Deeds prior to January 1, 1989, a variance under this subsection may exceed 20% of the setback requirement, except for minimum setbacks from a wetland or water body required within shoreland zones by rules adopted pursuant to Title 38, chapter 3, subchapter I, article 2-B, if the petitioner meets all of the above standards and the relief requested is the least necessary to relieve the hardship.

- e. The Board of Appeals shall limit any variances granted as strictly as possible in order to insure conformance with the purposes and provisions of this Ordinance to the greatest extent possible, and in doing so may impose such conditions to a variance as it deems necessary. The party receiving the variance shall comply with any conditions imposed.
- f. A copy of each variance request, including the application and all supporting information supplied by the applicant, shall be forwarded by the municipal officials to the Commissioner of the Department of Environmental Protection at least twenty (20) days prior to action by the Board of Appeals. Any comments received from the Commissioner prior to the action by the Board of Appeals shall be made part of the record and shall be taken into consideration by the Board of Appeals.

3. Administrative Appeals

When the Board of Appeals reviews a decision of the Code Enforcement Officer the Board of Appeals shall hold a "de novo" hearing. At this time the Board may receive and consider new evidence and testimony, be it oral or written. When acting in a "de novo" capacity the Board of Appeals shall hear and decide the matter afresh, undertaking its own independent analysis of evidence and the law, and reaching its own decision.

When the Board of Appeals hears a decision of the Planning Board, it shall hold an appellate hearing, and may reverse the decision of the Planning Board only upon finding that the decision was contrary to specific provisions of the Ordinance or contrary to the facts presented to the Planning Board. The Board of Appeals may only review the record of the proceedings before the Planning Board. The Board Appeals shall not receive or consider any evidence which was

not presented to the Planning Board, but the Board of Appeals may receive and consider written or oral arguments. If the Board of Appeals determines that the record of the Planning Board proceedings is inadequate, the Board of Appeals may remand the matter to the Planning Board for additional fact finding.

4. Disability Variance Appeals

a. Dwelling Accessibility

The Board of Appeals may grant a variance to an owner of a residential dwelling for the purpose of making that dwelling accessible to a person with a disability who resides in or regularly uses the dwelling. The board shall restrict any variance granted under this subsection solely to the installation of equipment or the construction of structures necessary for access to or egress from the dwelling by the person with the disability. The board may impose conditions on the variance, including limiting the variance to the duration of the disability or to the time that the person with the disability lives in the dwelling. The term "structures necessary for access to or egress from the dwelling" shall include railing, wall or roof systems necessary for the safety or effectiveness of the structure.

b. Vehicle Storage

- (i) The Board may grant a variance to an owner-occupant who is a person with a permanent disability for the construction of a place of storage and parking for a noncommercial vehicle owned by that person and for no other purpose. The width and length of the structure may not be larger than 2 times the width and length of the noncommercial vehicle. The owner shall submit proposed plans for the structure with the request for the variance pursuant to this paragraph to the Board.
- (ii) The person with the permanent disability shall prove such status.
- (iii) For purposes of this paragraph, "noncommercial vehicle" means a motor vehicle as defined in Title 29-A, Maine Revised Statutes, section 101, subsection 42 with a gross vehicle weight of no more than 6,000 pounds, bearing a disability registration plate (or placard) issued pursuant to Title 29-A, section 521 and owned by the person with the disability.
- (iv) The Board may impose conditions on the variance granted pursuant to this subsection.
- (v) For the purposes of this subsection, "disability" has the same meaning as a physical or mental disability under Title 5, section 4553-A.

5. Appeal Procedure

a. Making an Appeal

- (i) An administrative or variance appeal may be taken to the Board of Appeals by an aggrieved party from any decision of the Code Enforcement Officer or the Planning Board. Such appeal shall be taken within thirty (30) days of the date of the decision appealed from, and not otherwise, except that the Board, upon a showing of good cause, may waive the thirty (30) day requirement.
- (ii) Such appeal shall be made by filing with the Board of Appeals a written notice of appeal which includes:

- (01) A concise written statement indicating what relief is requested and why it should be granted.
 - (02) A sketch drawn to scale showing lot lines, location of existing buildings and structures and other physical features of the lot pertinent to the relief sought.
 - (iii) Upon being notified of an appeal, the Code Enforcement Officer or Planning Board, as appropriate, shall transmit to the Board of Appeals all of the papers constituting the record of the decision appealed from.
 - (iv) The Board of Appeals shall hold a public hearing on the appeal within thirty-five (35) days of its receipt of an appeal request.
- b. Decision by Board of Appeals
- (i) A majority of the board shall constitute a quorum for the purpose of deciding an appeal. A member who abstains shall not be counted in determining whether a quorum exists.
 - (ii) The concurring vote of a majority of the members of the Board of Appeals present and voting shall be necessary to reverse an order, requirement, decision, or determination of the Code Enforcement Officer or Planning Board, or to decide in favor of the applicant on any matter on which it is required to decide under this Ordinance, or to affect any variation in the application of this Ordinance from its stated terms. The board may reverse the decision, or failure to act, of the Code Enforcement Officer or Planning Board only upon a finding that the decision, or failure to act, was clearly contrary to specific provisions of this Ordinance.
 - (iii) The person filing the appeal shall have the burden of proof.
 - (iv) The Board shall decide all appeals within thirty five (35) days after the close of the hearing, and shall issue a written decision on all appeals.
 - (v) All decisions shall become a part of the record and shall include a statement of findings and conclusions as well as the reasons or basis therefor, and the appropriate order, relief or denial thereof. The Board shall cause written notice of its decision to be mailed or hand-delivered to the applicant and to the Department of Environmental Protection within seven (7) days of the Board's decision. Copies of written decisions of the Board of Appeals shall be given to the Planning Board, Code Enforcement Officer, and the municipal officers.
6. Appeal to Superior Court
- Any party may take an appeal, within forty five (45) days of the date of the vote on the original decision, to Superior Court from any order, relief or denial in accordance with the Maine Rules of Civil Procedure, Rule 80B. This time period may be extended by the court upon motion for good cause shown. The hearing before Superior Court must be without a jury.
7. Reconsideration
- In accordance with 30-A M.R.S.A. section 2691(3)(F), the Board of Appeals may reconsider any decision within forty-five (45) days of its prior decision. A request to the Board to reconsider a decision must be filed within ten (10) days of the decision that is being reconsidered. A vote to reconsider and the action taken on that reconsideration must occur and be completed within forty-five (45) days of the date of the vote on the original decision. Reconsideration of a decision shall require a positive vote of the majority of the Board members originally voting on

the decision, and proper notification to the landowner, petitioner, planning board, code enforcement officer, and other parties of interest, including abutters and those who testified at the original hearing(s). The Board may conduct additional hearings and receive additional evidence and testimony.

I. ENFORCEMENT

1. Nuisances

Any violation of this Ordinance shall be deemed to be a nuisance.

2. Code Enforcement Officer

- a. It shall be the duty of the Code Enforcement Officer to enforce the provisions of this Ordinance. If the Code Enforcement Officer shall find that any provision of this Ordinance is being violated, he or she shall notify in writing the person responsible for such violation, indicating the nature of the violation and ordering the action necessary to correct it, including discontinuance of illegal use of land, buildings or structures, or work being done, removal of illegal buildings or structures, and abatement of nuisance conditions. A copy of such notices shall be submitted to the municipal officers and be maintained as a permanent record.
- b. The Code Enforcement Officer shall conduct onsite inspections to insure compliance with all applicable laws and conditions attached to permit approvals. The Code Enforcement Officer shall also investigate all complaints of alleged violations of this Ordinance.
- c. The Code Enforcement Officer shall keep a complete record of all essential transactions of the office, including applications submitted, permits granted or denied, variances granted or denied, revocation actions, revocation of permits, appeals, court actions, violations investigated, violations found, and fees collected. On an biennial basis, beginning in 1992, a summary of this record shall be submitted by March 1 to the Director of the Bureau of Land Quality Control within the Department of Environmental Protection.

3. Legal Actions

When the above action does not result in the correction or abatement of the violation or nuisance condition, the Municipal Officers, upon notice from the Code Enforcement Officer, are hereby directed to institute any and all actions and proceedings, either legal or equitable, including seeking injunctions of violations and the imposition of fines, that may be appropriate or necessary to enforce the provisions of this Ordinance in the name of the municipality. The municipal officers, or their authorized agent, are hereby authorized to enter into administrative consent agreements for the purpose of eliminating violations of this Ordinance and recovering fines without Court action. Such agreements shall not allow an illegal structure or use to continue unless there is clear and convincing evidence that the illegal structure or use was constructed or conducted as a direct result of erroneous advice given by an authorized municipal official and there is no evidence that the owner acted in bad faith, or unless the removal of the structure or use will result in a threat or hazard to public health and safety or will result in substantial environmental damage.

4. Fines

Any person, including but not limited to a landowner, a landowner's agent or a contractor, who orders or conducts any activity in violation of this Ordinance shall be penalized in accordance with Title 30 A, Maine Revised Statutes Annotated, Subsection 4452.

NOTE: Current penalties include fines of not less than \$100 nor more than \$2500 per violation for each day that the violation continues.

SECTION 17 – DEFINITIONS

Accessory structure or use – a use or structure which is incidental and subordinate to the principal use or structure. Accessory uses, when aggregated shall not subordinate the principal use of the lot. A deck or similar extension of the principal structure or a garage attached to the principal structure by a roof or a common wall is considered part of the principal structure.

Agriculture – the production, keeping or maintenance for use, sale or lease, of plants and/or animals, including but not limited to: forages and sod crops; grains and seed crops; dairy animals and dairy products; poultry and poultry products; livestock; fruits and vegetables; and ornamental and green house products, including the growing and harvesting of Christmas trees. Such agricultural use will remain in existence until such time as its land use changes to another land use as allowed by the Town Zoning Ordinance. Agriculture does not include forest management and timber harvesting activities.

Aggrieved party – an owner of land whose property is directly or indirectly affected by the granting or denial of a permit or variance under this Ordinance; a person whose land abuts land for which a permit or variance has been granted; or any other person or group of persons who have suffered particularized injury as a result of the granting or denial of such permit or variance.

Alteration – Any change, addition, or modification in construction, other than cosmetic or decorative, or any change in the structural members of buildings such as bearing walls, columns, beams, or girders.

Aquaculture – the growing or propagation of harvestable freshwater, estuarine, or marine plant or animal species.

Basal Area – the area of cross-section of a tree stem at 4 1/2 feet above ground level and inclusive of bark.

Basement – any portion of a structure with a floor-to-ceiling height of 6 feet or more and having more than 50% of its volume below the existing ground level.

Boat Launching Facility – a facility designed primarily for the launching and landing of watercraft, and which may include an access ramp, docking area, and parking spaces for vehicles and trailers.

Campground – any area or tract of land to accommodate two (2) or more parties in temporary living quarters, including, but not limited to tents, recreational vehicles or other shelters.

Canopy – the more or less continuous cover formed by tree crowns in a wooded area.

Commercial use – the use of lands, buildings, or structures, other than a "home occupation," defined below, the intent and result of which activity is the production of income from the buying and selling of goods and/or services, exclusive of rental of residential buildings and/or dwelling units.

DBH – the diameter of a standing tree measured 4.5 feet from ground level.

Development – a change in land use involving alteration of the land, water or vegetation, or the addition or alteration of structures or other construction not naturally occurring.

Dimensional requirements – numerical standards relating to spatial relationships including but not limited to setback, lot area, shore frontage and height.

Disability – any disability, infirmity, malformation, disfigurement, congenital defect or mental condition caused by bodily injury, accident, disease, birth defect, environmental conditions or illness; and also includes the physical or mental condition of a person which constitutes a substantial handicap as determined by a physician or in the case of mental handicap, by a psychiatrist or psychologist, as well as any other health or sensory impairment which requires special education, vocational rehabilitation or related services.

Driveway – a vehicular access-way less than five hundred (500) feet in length serving two lots or less.

Emergency operations – operations conducted for the public health, safety or general welfare, such as protection of resources from immediate destruction or loss, law enforcement, and operations to rescue human beings, property and livestock from the threat of destruction or injury.

Essential services – the construction, alteration or maintenance of gas, electrical or communication facilities; steam, fuel, electric power or water transmission or distribution lines, towers and related equipment; telephone cables or lines, poles and related equipment; gas, oil, water, slurry or other similar pipelines; municipal sewage lines, collection or supply systems; and associated storage tanks. Such systems may include towers, poles, wires, mains, drains, pipes, conduits, cables, fire alarms and police call boxes, traffic signals, hydrants and similar accessories, but shall not include service drops or buildings which are necessary for the furnishing of such services.

Expansion of a structure – an increase in the floor area or volume of a structure, including all extensions such as, but not limited to attached: decks, garages, porches and greenhouses.

Expansion of use – the addition of weeks or months to a use's operating season; additional hours of operation; or the use of more floor area or ground area devoted to a particular use.

Family – one or more persons occupying a premise and living as a single housekeeping unit.

Floodway – the channel of a river or other watercourse and adjacent land areas that must be reserved in order to discharge the 100-year flood without cumulatively increasing the water surface elevation by more than one foot in height.

Floor area – the sum of the horizontal areas of the floor(s) of a structure enclosed by exterior walls, plus the horizontal area of any unenclosed portions of a structure such as porches and decks.

Forest management activities – timber cruising and other forest resource evaluation activities, pesticide or fertilizer application, management planning activities, timber stand improvement, pruning, regeneration of forest stands, and other similar or associated activities, exclusive of timber harvesting and the construction, creation or maintenance of roads.

Forested wetland – a freshwater wetland dominated by woody vegetation that is six (6) meters tall (approximately twenty (20) feet) or taller.

Foundation the supporting substructure of a building or other structure including but not limited to basements, slabs, sills, posts or frostwalls.

Freshwater wetland – freshwater swamps, marshes, bogs and similar areas, other than forested wetlands, which are:

1. of ten or more contiguous acres; or of less than 10 contiguous acres and adjacent to a surface water body, excluding any river, stream or brook such that in a natural state, the combined surface area is in excess of 10 acres; and

2. Inundated or saturated by surface or ground water at a frequency and for a duration sufficient to support, and which under normal circumstances do support, a prevalence of wetland vegetation typically adapted for life in saturated soils.

Freshwater wetlands may contain small stream channels or inclusions of land that do not conform to the criteria of this definition.

Frontage, Road – the road frontage shall be on the lot line that lies between the two sidelines and abuts a road. For any lot bounded on more than one property line by a road, only one road shall be used for the purpose of road frontage. Frontage on a cul-de-sac shall be measured at the building setback line. Except as determined by the horizontal distance, between side lot lines, nearest to and roughly parallel to the closest road or street.

Frontage, Shore – the horizontal distance, measured as a straight line, between the intersections of the side lot lines with the shoreline at the normal high water mark elevation.

Functionally water – dependent uses those uses that require, for their primary purpose, location on submerged lands or that require direct access to, or location in, inland waters and which cannot be located away from these waters. The uses include, but are not limited to commercial and recreational fishing and boating facilities, excluding recreational boat storage buildings, finfish and shellfish processing, fish storage and retail and wholesale fish marketing facilities, waterfront dock and port facilities, shipyards and boat building facilities, marinas, navigation aids, basins and channels, industrial uses dependent upon water-borne transportation or requiring large volumes of cooling or processing water and which cannot reasonably be located or operated at an inland site, and uses which primarily provide general public access to marine or tidal waters.

Great pond – any inland body of water which in a natural state has a surface area in excess of ten acres, and any inland body of water artificially formed or increased which has a surface area in excess of thirty (30) acres except for the purposes of this Ordinance, where the artificially formed or increased inland body of water is completely surrounded by land held by a single owner.

Great pond classified GPA – any great pond classified GPA, pursuant to Title 38 Article 4-A Section 465-A. This classification includes some, but not all impoundments of rivers that are defined as great ponds.

Ground cover – small plants, fallen leaves, needles and twigs, and the partially decayed organic matter of the forest floor.

Height of a structure the vertical distance between the mean original grade at the downhill side of the structure and the highest point of the structure, excluding chimneys, steeples, antennas, and similar appurtenances which have no floor area.

Home occupation – an occupation or profession which is customarily conducted on or in a residential structure or property and which is 1) clearly incidental to and compatible with the residential use of the property and surrounding residential uses; and 2) which employs no more than two (2) persons other than family members residing in the home.

Increase in nonconformity of a structure – any change in a structure or property which causes further deviation from the dimensional standard(s) creating the nonconformity such as, but not limited to, reduction in water body, tributary stream or wetland setback distance, increase in lot coverage, or increase in height of a structure. Property changes or structure expansions which either meet the dimensional standard or which cause no further increase in the linear extent of nonconformance of the

existing structure shall not be considered to increase nonconformity. For example, there is no increase in nonconformity with the setback requirement for water bodies, wetlands, or tributary streams if the expansion extends no further into the required setback area than does any portion of the existing nonconforming structure. Hence, a structure may be expanded laterally provided that the expansion extends no closer to the water body, tributary stream, or wetland than the closest portion of the existing structure from that water body, tributary stream, or wetland. Included in this allowance are expansions which in-fill irregularly shaped structures.

Individual private campsite – an area of land which is not associated with a campground, but which is developed for repeated camping by only one group not to exceed ten (10) individuals and which involves site improvements which may include but not be limited to gravel pads, parking areas, fire places, or tent platforms.

Industrial – the assembling, fabrication, finishing, manufacturing, packaging or processing of goods, or the extraction of minerals.

Institutional – a non-profit or quasi-public use, or institution such as a church, library, public or private school, hospital, or municipally owned or operated building, structure or land used for public purposes.

Lot area – the area of land enclosed within the boundary lines of a lot, minus land below the normal high-water line of a water body or upland edge of a wetland and areas beneath roads serving more than two lots.

Marina – a business establishment having frontage on navigable water and, as its principal use, providing for hire offshore moorings or docking facilities for boats, and which may also provide accessory services such as boat and related sales, boat repair and construction, indoor and outdoor storage of boats and marine equipment, boat and tackle shops and marine fuel service facilities.

Market value – the estimated price a property will bring in the open market and under prevailing market conditions in a sale between a willing seller and a willing buyer, both conversant with the property and with prevailing general price levels.

Minimum lot width – the closest distance between the side lot lines of a lot. When only two lot lines extend into the shoreland zone, both lot lines shall be considered to be side lot lines.

Mineral exploration – hand sampling, test boring, or other methods of determining the nature or extent of mineral resources which create minimal disturbance to the land and which include reasonable measures to restore the land to its original condition.

Mineral extraction – any operation within any twelve (12) month period which removes more than one hundred (100) cubic yards of soil, topsoil, loam, sand, gravel, clay, rock, peat, or other like material from its natural location and to transport the product removed, away from the extraction site.

Multi-unit residential – a residential structure containing three (3) or more residential dwelling units.

Native – indigenous to the local forests.

Non-conforming condition – non-conforming lot, structure or use which is allowed solely because it was in lawful existence at the time this Ordinance or subsequent amendment took effect.

Non-conforming lot – a single lot of record which, at the effective date of adoption or amendment of this Ordinance, does not meet the area, frontage, or width requirements of the district in which it is located.

Non-conforming structure – a structure which does not meet any one or more of the following dimensional requirements; setback, height, or lot coverage, but which is allowed solely because it was in lawful existence at the time this Ordinance or subsequent amendments took effect.

Non-conforming use – use of buildings, structures, premises, land or parts thereof which is not permitted in the district in which it is situated, but which is allowed to remain solely because it was in lawful existence at the time this Ordinance or subsequent amendments took effect.

Non-forested wetland – a freshwater wetland dominated by non-woody vegetation and/or woody vegetation that is less than six (6) meters tall.

Normal high-water line – that line which is apparent from visible markings, changes in the character of soils due to prolonged action of the water or changes in vegetation, and which distinguishes between predominantly aquatic and predominantly terrestrial land. Areas contiguous with rivers and great ponds that support non-forested wetland vegetation and hydric soils and that are at the same or lower elevation as the water level of the river or great pond during the period of normal high-water are considered part of the river or great pond.

Person – an individual, corporation, governmental agency, municipality, trust, estate, partnership, association, two or more individuals having a joint or common interest, or other legal entity.

Piers, docks, wharves, bridges and other structures and uses extending over or beyond the normal high-water line or within a wetland –

1. Temporary: Structures which remain in or over the water for less than seven (7) months in any period of twelve (12) consecutive months.
2. Permanent: Structures which remain in or over the water for seven (7) months or more in any period of twelve (12) consecutive months.

Principal structure – a building other than one which is used for purposes wholly incidental or accessory to the use of another building or use on the same premises.

Principal use – a use other than one which is wholly incidental or accessory to another use on the same premises.

Public facility – any facility, including, but not limited to, buildings, property, recreation areas, and roads, which are owned, leased, or otherwise operated, or funded by a governmental body or public entity.

Recent flood plain soils – the following soil series as described and identified by the National Cooperative Soil Survey:

| | | |
|----------|---------|----------|
| Alluvial | Cornish | Charles |
| Fryeburg | Hadley | Limerick |
| Lovewell | Medomak | Ondawa |
| Podunk | Rumney | Saco |
| Suncook | Sunday | Winooski |

Recreational facility – a place designed and equipped for the conduct of sports, leisure time activities, and other customary and usual recreational activities, excluding boat launching facilities.

Recreational vehicle – a vehicle or an attachment to a vehicle designed to be towed, and designed for temporary sleeping or living quarters for one or more persons, and which may include a pick up camper, travel trailer, tent trailer, camp trailer, and motor home. In order to be considered as a vehicle and not as

a structure, the unit must remain with its tires on the ground, and must be registered with the State Division of Motor Vehicles.

Replacement system – a system intended to replace: 1.) an existing system which is either malfunctioning or being upgraded with no significant change of design flow or use of the structure, or 2.) any existing overboard wastewater discharge.

Residential dwelling unit – a room or group of rooms designed and equipped exclusively for use as permanent, seasonal, or temporary living quarters for only one family at a time, and containing cooking, sleeping and toilet facilities. The term shall include mobile homes and rental units that contain cooking, sleeping, and toilet facilities regardless of the time-period rented. Recreational vehicles are not residential dwelling units.

Residual Basal Area – the sum of the basal area of trees remaining on a harvested site.

Riprap – rocks, irregularly shaped, and at least six (6) inches in diameter, used for erosion control and soil stabilization, typically used on ground slopes of two (2) units horizontal to one (1) unit vertical or less.

River – a free-flowing body of water including its associated flood plain wetlands from that point at which it provides drainage for a watershed of twenty five (25) square miles to its mouth.

Road – a route or track consisting of a bed of exposed mineral soil, gravel, asphalt, or other surfacing material constructed for or created by the repeated passage of motorized vehicles.

Service drop – any utility line extension which does not cross or run beneath any portion of a water body provided that:

1. in the case of electric service
 - a. the placement of wires and/or the installation of utility poles is located entirely upon the premises of the customer requesting service or upon a roadway right of way; and
 - b. the total length of the extension is less than one thousand (1,000) feet.
2. in the case of telephone service
 - a. the extension, regardless of length, will be made by the installation of telephone wires to existing utility poles, or
 - b. the extension requiring the installation of new utility poles or placement underground is less than one thousand (1,000) feet in length.

Setback – the nearest horizontal distance from the normal high-water line of a water body, tributary stream, or upland edge of a wetland to the nearest part of a structure, road, parking space or other regulated object or area.

Shoreland zone – the land area located within two hundred and fifty (250) feet, horizontal distance, of the normal high-water line of any great pond, river, or saltwater body; within 250 feet, horizontal distance, of the upland edge of a coastal or freshwater wetland; or within seventy-five (75) feet , horizontal distance, of the normal high-water line of a stream.

Shoreline – the normal high-water line, or upland edge of a freshwater wetland.

Significant River Segments – See Title 38 MRSA Sec. 437.

Skid trail – a route repeatedly used by forwarding machinery or animal to haul or drag forest products from the stump to the yard or landing, the construction of which requires minimal excavation.

Slash – the residue, e.g., treetops and branches, left on the ground after a timber harvest.

Stream – a free-flowing body of water from the outlet of a great pond or the confluence of two (2) perennial streams as depicted on the most recent edition of a United States Geological Survey 7.5 minute series topographic map, or if not available, a 15-minute series topographic map, to the point where the body of water becomes a river or flows to another water body or wetland within a shoreland area.

Structure – anything built for the support, shelter or enclosure of persons, animals, goods or property of any kind, together with anything constructed or erected with a fixed location on or in the ground, exclusive of fences. The term includes structures temporarily or permanently located, such as decks and satellite dishes.

Substantial start – completion of thirty (30) percent of a permitted structure or use measured as a percentage of estimated total cost.

Subsurface sewage disposal system – a collection of treatment tank(s), disposal area(s), holding tank(s) and pond(s), surface spray system(s), cesspool(s), well(s), surface ditch(es), alternative toilet(s), or other devices and associated piping designed to function as a unit for the purpose of disposing of wastes or wastewater on or beneath the surface of the earth. The term shall not include any wastewater discharge system licensed under 38 MRSA Section 414, any surface wastewater disposal system licensed under 38 MRSA Section 413 Subsection 1-A, or any public sewer. The term shall not include a wastewater disposal system designed to treat wastewater which is in whole or in part hazardous waste as defined in 38 MRSA Chapter 13, subchapter 1.

Sustained slope – a change in elevation where the referenced percent grade is substantially maintained or exceeded throughout the measured area.

Timber harvesting – the cutting and removal of trees from their growing site, and the attendant operation of cutting and skidding machinery but not the construction or creation of roads. Timber harvesting does not include the clearing of land for approved construction. The cutting or removal of trees in the shoreland zone on a lot that has less than two (2) acres within the shoreland zone shall not be considered timber harvesting. Such cutting or removal of trees shall be regulated pursuant to Section 15 O, Clearing or Removal of Vegetation for Activities Other Than Timber Harvesting.

Tributary stream – a channel between defined banks created by the action of surface water, whether intermittent or perennial, and which is characterized by the lack of upland vegetation or presence of aquatic vegetation and by the presence of a bed devoid of topsoil containing waterborne deposits on exposed soil, parent material or bedrock, and which flows to a water body or wetland as defined. This definition does not include the term "stream" as defined elsewhere in this Ordinance, and only applies to that portion of the tributary stream located within the shoreland zone of the receiving water body or wetland. "Tributary stream" does not include rills or gullies forming because of accelerated erosion in disturbed soils where the natural vegetation cover has been removed by human activity.

Upland edge – the boundary between upland and wetland. For purposes of a freshwater wetland, the upland edge is formed where the soils are not saturated for a duration sufficient to support wetland vegetation; or where the soils support the growth of wetland vegetation, but such vegetation is dominated by woody stems that are six (6) meters (approximately twenty (20) foot) tall or taller.

Vegetation – all live trees, shrubs, ground cover, and other plants including without limitation, trees both over and under 4 inches in diameter, measured at 4 1/2 above ground level.

Volume of a structure – the volume of all portions of a structure enclosed by roof and fixed exterior walls as measured from the exterior faces of these walls and roof.

Water body – any great pond, river, stream or tidal area.

Water Crossing – any project extending from one bank to the opposite bank of a river or stream, whether under, through, or over the water course. Such projects include but may not be limited to roads, fords, bridges, culverts, water lines, sewer lines, and cables as well as maintenance work on these crossings. This definition includes crossings for timber harvesting equipment and related activities.

Wetland – a freshwater wetland.

Wetlands associated with great ponds and rivers – wetlands contiguous with or adjacent to a great pond or river, and which during normal high water, are connected by surface water to the great pond or river. Also included are wetlands which are separated from the great pond or river by a berm, causeway, or similar feature less than one hundred (100) feet in width, and which have a surface elevation at or below the normal high water line of the great pond or river. Wetlands associated with great ponds or rivers are considered to be part of that great pond or river.

Woody Vegetation – live trees or woody, non-herbaceous shrubs.